

Safety Data Sheet

according to Regulation (EC) No 1907/2006

rematitan CL Powder 15-45 µm

Revision date: 16.01.2018

Product code: 10013087

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

rematitan CL Powder 15-45 µm

Further trade names

Article No.: 100-130-87

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Health services.

1.3. Details of the supplier of the safety data sheet

Company name:	DENTAURUM GmbH & Co. KG	
Street:	Turnstr. 31	
Place:	D-75228 Ispringen	
Telephone:	+49 7231 803 0	Telefax: +49 7231 803 295
e-mail:	info@dentaurum.de	
Internet:	www.dentaurum.com	

Further Information

Emergency telephone:
 07:00 - 16:15 (Mo - Do), 07:00 - 13:15 (Fr) +49 7231 803 184
 16:15 - 18:00 (Mo - Do), 13:15 - 18:00 (Fr) +49 7231 803 0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H222	Extremely flammable aerosol.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.

Precautionary statements

P370+P378	In case of fire: Use In case of fire, use fire extinguisher class D. to extinguish.
P402+P404	Store in a dry place. Store in a closed container.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P285	In case of inadequate ventilation wear respiratory protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe Do not breathe dust..

Safety Data Sheet

according to Regulation (EC) No 1907/2006

rematitan CL Powder 15-45 µm

Revision date: 16.01.2018

Product code: 10013087

Page 2 of 9

P243	Take precautionary measures against static discharge.
P242	Use only non-sparking tools.
P211	Do not spray on an open flame or other ignition source.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Metal powder

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7440-32-6	Titanium			80-95 %
	231-142-3			
	Flam. Sol. 2, Pyr. Liq. 1; H228 H250			
7429-90-5	aluminium powder (pyrophoric)			5-10 %
	231-072-3	013-001-00-6		
	Water-react. 2, Pyr. Sol. 1; H261 H250			
7440-62-2	Vanadium			3-8 %
	231-171-1			
	Pyr. Sol. 1, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H250 H315 H319 H335			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Change contaminated clothing.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water.
Take off immediately all contaminated clothing and wash it before reuse.
Medical treatment necessary.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water.
Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.
Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

rematitan CL Powder 15-45 µm

Revision date: 16.01.2018

Product code: 10013087

Page 3 of 9

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

In case of fire, use fire extinguisher class D.

Dry sand.

Never use water.

Unsuitable extinguishing media

Water

Carbon dioxide (CO₂)

Extinguishing powder

5.2. Special hazards arising from the substance or mixture

Dust can form an explosive mixture with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Do not allow water used to extinguish fire to enter drains or waterways.

Avoid dust formation.

Additional information

Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

Provide adequate ventilation.

Avoid dust formation.

Do not breathe dust.

Avoid contact with skin, eyes and clothes.

Use personal protection equipment.

Respiratory protection necessary at: Cleaning work.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

Avoid dust formation.

6.4. Reference to other sections

Safe handling: see section 7

See section 8.

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation.

Do not breathe dust.

Take action to prevent static discharges.

Wear personal protection equipment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

rematitan CL Powder 15-45 µm

Revision date: 16.01.2018

Product code: 10013087

Page 4 of 9

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.
Take precautionary measures against static discharges.
Danger of dust explosion. Air.

Further information on handling

When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.
Keep locked up.
Store in a place accessible by authorized persons only.
Provide adequate ventilation as well as local exhaust at critical locations.
Keep in a cool, well-ventilated place.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.
Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Equipment with built-in suction provisions.

7.3. Specific end use(s)

Health services.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7429-90-5	Aluminium metal, respirable dust	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid contact with skin.

Eye/face protection

Wear eye protection/face protection.

Hand protection

Recommendation: z. B. Dermatril 740 (Fa. KCL)
Suitable material: Nitrile
Thickness of glove material: 0,11 mm
penetration time (maximum wearing period): > 480 min

Safety Data Sheet

according to Regulation (EC) No 1907/2006

rematitan CL Powder 15-45 µm

Revision date: 16.01.2018

Product code: 10013087

Page 5 of 9

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Filtering device (DIN EN 147): A/P2

acute: Filtering device (DIN EN 147)

prolonged exposure: Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Powder
Colour:	silver grey
Odour:	odourless

Test method

pH-Value:	not determined
-----------	----------------

Changes in the physical state

Melting point:	1605-1660 °C
----------------	--------------

Flash point:	not applicable
--------------	----------------

Flammability

Solid:	not determined
--------	----------------

Gas:	not applicable
------	----------------

Lower explosion limits:	not determined
-------------------------	----------------

Upper explosion limits:	not determined
-------------------------	----------------

Ignition temperature:	480 °C
-----------------------	--------

Auto-ignition temperature

Solid:	not determined
--------	----------------

Gas:	not applicable
------	----------------

Decomposition temperature:	not determined
----------------------------	----------------

Oxidizing properties

Not oxidising.

Vapour pressure:	not determined
------------------	----------------

Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water
-------------------	---

Solubility in other solvents

not determined

Partition coefficient:	not determined
------------------------	----------------

Vapour density:	not determined
-----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

9.2. Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

rematitan CL Powder 15-45 µm

Revision date: 16.01.2018

Product code: 10013087

Page 6 of 9

Solid content: not determined

Dust can form an explosive mixture with air.

SECTION 10: Stability and reactivity**10.1. Reactivity**

The product is chemically stable under recommended conditions of storage, use and temperature.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

The product is chemically stable under recommended conditions of storage, use and temperature.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Take action to prevent static discharges.

Remove all sources of ignition.

10.5. Incompatible materials

Combustible substance

acid.

Oxidizing agents.

halogenated hydrocarbons

10.6. Hazardous decomposition products

none

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (Ti)

May cause an allergic skin reaction. (Ti)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (Ti)

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Further information

No indication of human carcinogenicity. No indications of human germ cell mutagenicity exist.

SECTION 12: Ecological information**12.1. Toxicity**

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

rematitan CL Powder 15-45 µm

Revision date: 16.01.2018

Product code: 10013087

Page 7 of 9

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

May cause long-term adverse effects in the aquatic environment.

12.4. Mobility in soil

No indication of bioaccumulation potential.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods**Advice on disposal**

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

Waste disposal number of waste from residues/unused products

170407 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); metals (including their alloys); mixed metals

Contaminated packaging

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 3089
14.2. UN proper shipping name:	METAL POWDER, FLAMMABLE, N.O.S.
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	II
Hazard label:	4.1



Classification code:	F3
Special Provisions:	552
Limited quantity:	1 kg
Excepted quantity:	E2
Transport category:	2
Hazard No:	40
Tunnel restriction code:	E

Marine transport (IMDG)

14.1. UN number:	UN 3089
14.2. UN proper shipping name:	METAL POWDER, FLAMMABLE, N.O.S.
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	II

Safety Data Sheet

according to Regulation (EC) No 1907/2006

rematitan CL Powder 15-45 µm

Revision date: 16.01.2018

Product code: 10013087

Page 8 of 9

Hazard label: 4.1



Special Provisions: -
 Limited quantity: 1 kg
 Excepted quantity: E2
 EmS: F-G, S-G

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3089
14.2. UN proper shipping name: METAL POWDER, FLAMMABLE, N.O.S.
14.3. Transport hazard class(es): 4.1
14.4. Packing group: II
 Hazard label: 4.1



Special Provisions: A3 A803
 Limited quantity Passenger: 5 kg
 Passenger LQ: Y441
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 445
 IATA-max. quantity - Passenger: 15 kg
 IATA-packing instructions - Cargo: 448
 IATA-max. quantity - Cargo: 50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Warning: flammable solids.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information****Additional information**

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):
 Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

rematitan CL Powder 15-45 µm

Revision date: 16.01.2018

Product code: 10013087

Page 9 of 9

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,4.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H222	Extremely flammable aerosol.
H228	Flammable solid.
H250	Catches fire spontaneously if exposed to air.
H261	In contact with water releases flammable gases.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)